

PROCEEDINGS OF THE COMMISSIONER OF INTERMEDIATE EDUCATION
ANDHRA PRADESH::HYDERABAD

Present: M.V. Satyanarayana, I.A.S.,

Rc.No.Voc1-2/01/2015

Dated:30.04.2015

Sub:- Intermediate Vocational Education - Part Time Junior Lecturers drawing Minimum Time Scale with D.A., - Revised Object Heads - Allow to draw salaries under Sub Detaild Head 020/022 instead of under 010-Salaries - Copy Communicated - Regarding.

Read:- Govt. Memo No.906/IE/A1/2015 dated 21.04.2015.

@@@@

The Attention of the Regional Joint Directors of Intermediate Education, Kadapa, Guntur and Rajahmundry and District Vocational Education Officers in the state are invited to the reference read above wherein the Government has informed that since the salaries of Part-time Junior Lecturers working under Minimum Time scale would not be given under 010-salaries, but under 020/022 - Contingent Employees, for which budget will be provided by way of re-appropriation for payment of salaries (remuneration).

Copy of the said Memo is hereby communicated (Enclosed) and instructed the Principals concerned to make claims in respect of the staff working in vocational stream in the state accordingly.

SD/- M.V. SATYANARAYANA
COMMISSIONER OF INTERMEDIATE EDUCATION

To
The Regional Joint Director of Intermediate Education, Kadapa, Guntur & Rajahmundry
Copy to The District Vocational Education Officers in the state (communicate the Govt. Memo to the Principals concerned).
Spare-1

// t.c.f.b.o. //

Sharghethy
SUPERINTENDENT

o/o District Vocational
Education Officer,
KURNOOL.

Enclt NO. 18/A/2015, DT-12-05-15

Copy communicated to the Principals of Govt. Junior Colleges in Kurnool Dist who are having Part Time Staff working under ~~Minimum Time Scale~~ Minimum Time Scale in vocational stream for favour of further action.

To
The Principals
of Govt. Jr. Colleges
in Kurnool Dt. as per dispatch entry.

R. Sol
District Vocational
Education Officer (FAO)
KURNOOL.

12-5-15 12/5/15

18/2015
12/05/15
Comm. to the
Govt. Memo to the
Principals concerned
Rag
11/5/15